

**PRODUCT QUALITY CONFIRMATION
FOR**

LOTOS OIL

TURDUS SHPD SAE 15W/40


It is hereby confirmed that TURDUS SHPD SAE 15W/40 engine oils when formulated based on Lubrizol 4981C in suitable base fluids will meet the performance requirements of

**API CH-4 / CG-4 / CF-4
ACEA E5-02 / E3-96 issue 4 / E2-96 issue 5
CCMC D4 / D5**

Lubrizol 4981C is a technologically proven additive package that meets or exceeds the above mentioned performance standards.

If these above stated performance requirements are the performance standards that are requested by equipment manufacturers like *Liebherr*, then this oil may be suitable for use in this equipment.

Yours sincerely



LUBRIZOL
Fluid technologies for a better world™
Dipl. Ing. Hans-Uwe Staubmann
Area Sales Manager
Lubrizol Ges.m.b.H. Vienna
Austria

August 1, 2007

**PRODUCT QUALITY CONFIRMATION
FOR**

LOTOS OIL

LOTOS DIESEL CLASSIC PLUS CH-4 SAE 10W/40

It is hereby confirmed that LOTOS DIESEL CLASSIC PLUS CH-4 SAE 10W/40 engine oils when formulated based on Lubrizol 4980A in suitable base fluids will meet the performance requirements of

**API CH-4 / CG-4 / CF-4
ACEA E3-96 issue 4 / E2-96 issue 5
CCMC D4 / D5**

Lubrizol 4980A is a technologically proven additive package that meets or exceeds the above mentioned performance standards.

If these above stated performance requirements are the performance standards that are requested by equipment manufacturers like *Liebherr*, then this oil may be suitable for use in this equipment.

Yours sincerely



LUBRIZOL
Lubrication technologies for a better world™

Dipl. Ing. Hans-Uwe Staubmann
Area Sales Manager
Lubrizol Ges.m.b.H. Vienna
Austria

August 1, 2007

**PRODUCT QUALITY CONFIRMATION
FOR**

LOTOS OIL

**LOTOS DIESEL CLASSIC CF-4
SAE 10W/30, SAE 10W/40 & SAE 15W/40**

It is hereby confirmed that LOTOS DIESEL CLASSIC CF-4 SAE 10W/30, SAE 10W/40 and SAE 15W/40 engine oils when formulated based on Lubrizol 4980A in suitable base fluids will meet the performance requirements of

API CF-4

Lubrizol 4980A is a technologically proven additive package that meets or exceeds the above mentioned performance standards.

If these above stated performance requirements are the performance standards that are requested by equipment manufacturers like *Liebherr*, then this oil may be suitable for use in this equipment.

Yours sincerely



Dipl. Ing. Hans-Uwe Staubmann
Area Sales Manager
Lubrizol Ges.m.b.H. Vienna
Austria

August 1, 2007