

Product name: **Teboil Cutting Oil N32**

Date 09.05.1996

Previous date -

1/1

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### 1.1 Identification of the article

##### Product name

Teboil Cutting Oil N32

#### 1.2 Manufacturer, importer, supplier

##### 1.2.1 Supplier

Oy Teboil Ab

##### 1.2.2 Street address

Bulevardi 26

##### Postcode and post office

FIN-00120 HELSINKI

##### Post-office box

P.O.B. 102

##### Postcode and post office

FIN-00121 HELSINKI, FINLAND

##### Telephone

ext.+358 2047001

##### Telefax

ext.+358 204700248

#### 1.2.3 Name and address of the informant in emergency cases

HUCH / Poison Information Centre

Haartmaninkatu 4, FIN-00029 HYKS, FINLAND

##### Emergency telephone number

+358-9-4711

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### 2.1 Chemical characterisation

A mixture of highly refined mineral base oils and additives.

#### 2.2 Hazardous components

2.2.1 CAS-No.	2.2.2 Chemical name of the substance	2.2.3 Weight %	2.2.4 Classification
74869-22-0	Lubricating oil Contains triarylphosphate, which contains triortocresylphosphate max 1%.	100% max 0,5%	- X <sub>n</sub> ; R40-20-21-22

### 3. HAZARDS IDENTIFICATION

HUMAN: Long term or repeated skin contact may cause irritation.

ENVIRONMENTAL: Large spills may cause pollution of ground water.

### 4. FIRST AID MEASURES

#### 4.1 General advice

-

#### 4.2 Inhalation

Move to fresh air in case of accidental inhalation of vapours or mists.

If symptoms persist, call a physician.

#### 4.3 Skin contact

Wash off immediately with soap and plenty of water and remove contaminated clothing.

#### 4.4 Eye contact

Rinse with plenty of water. If eye irritation persists, call a physician.

Product name: **Teboil Cutting Oil N32**

Date 09.05.1996

Previous date -

2/2

#### 4.5 Ingestion

DO NOT INDUCE VOMITING! Rinse mouth and call a physician.

#### 4.6 Notes to physician

Aspiration into the lungs may cause fatal chemical pneumonitis.

### 5. FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Foam or dry powder.

#### 5.2 Extinguishing media which must not be used for safety reasons

Water spray.

#### 5.4 Special protective equipment for firefighters

In case of fire inside, use self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions

-

#### 6.2 Environmental precautions

Prevent spills entering soil, sewers or waterways by damming with sand or by soaking the spill up with oil absorbent material. Contact local authorities.

#### 6.3 Methods for cleaning up

Clean up promptly and dispose of waste product in accordance with local and national regulations.

### 7. HANDLING AND STORAGE

#### 7.1 Handling

When handling drums use special safety shoes.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Engineering measures

Use local exhaust ventilation to control mists or vapours. Repeated skin contact should be avoided.

#### 8.2 National occupational exposure limits

##### 8.2.1 National occupational exposure limits

<b>Chemical name of the substance</b>	Oil mist	.
	5 mg/m <sup>3</sup> (8 h)	.

#### 8.3 Personal protective equipment

##### 8.3.1 Hygiene measures

Wash hands before eating, drinking, smoking or toilet.

##### 8.3.2 Respiratory protection

When exposed to vapours, use approved supplied-air respirator (filter A2/P2).

##### 8.3.3 Hand protection

Use nitrile or neoprene gloves.

##### 8.3.4 Eye protection

Chemical goggles or face shield, if needed.

##### 8.3.5 Skin and body protection

Protective clothing is recommended if skin contact or contamination of clothing is likely.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **Form, Colour, Odour** Yellowbrown liquid.

9.3 **Information on changes in the physical state**

9.3.1 **Boiling point/range** > 350 °C

Product name: **Teboil Cutting Oil N32**

Date 09.05.1996

Previous date -

3/3

<b>9.4</b>	<b>Flash point</b>	> 100 °C
<b>9.6</b>	<b>Autoignition temperature</b>	> 250 °C
<b>9.10</b>	<b>Vapour pressure</b>	< 1 Pa (20 °C)
<b>9.11</b>	<b>Relative density</b>	850 - 910 kg/m <sup>3</sup>
<b>9.12</b>	<b>Solubility</b>	
	- water solubility	insoluble
	- fat solubility	-
<b>9.13</b>	<b>Partition coefficient (n-octanol/water)</b>	
	High (> 3).	
<b>9.14</b>	<b>Viscosity</b>	32 cSt/40°C.

## 10. STABILITY AND REACTIVITY

- 10.2** **Materials to avoid**  
Avoid contact with strong oxidizers.
- 10.3** **Hazardous decomposition products**  
-

## 11. TOXICOLOGICAL INFORMATION

- 11.1** **Acute toxicity**  
-
- 11.2** **Primary irritation**  
May cause mild respiratory or dermal irritation.
- 11.3** **Sensitisation**  
-
- 11.5** **Human experience**  
Long term and/or repeated skin contact may cause skin inflammation.
- 11.6** **Further information**  
Used lubricants may contain impurities, which may cause hazards to human health or to the environment when disposing of the waste oil.  
All used oils should be handled carefully avoiding skin contact.

## 12. ECOLOGICAL INFORMATION

- 12.1** **Persistence and degradability**
- 12.1.1** **Biological degradability**  
-
- 12.1.2** **Chemical degradation**  
-
- 12.2** **Bioaccumulation**  
No data.
- 12.3** **Mobility**  
-
- 12.4** **Ecotoxicity effects**
- 12.4.1** **Aquatic toxicity**  
-

## 13. DISPOSAL CONSIDERATIONS

Dispose of in a safe manner in accordance with local and national regulations.

## 14. TRANSPORT INFORMATION

Product name: **Teboil Cutting Oil N32**

Date 09.05.1996

Previous date -

4/4

**14.3 Land transport**

**14.3.1 Class** Not classified

**14.4 Sea transport**

**14.4.1 Class** Not classified

**14.5 Air transport**

**14.5.1 ICAO** -

## **15. REGULATORY INFORMATION**

## **16. OTHER INFORMATION**

**16.1 Recommended use**

**16.1.1 Expressed in writing**

Lubricant.

**16.3 Further information**

This information has to be available for all those, who work with this product. This MSDS is based on the present knowledge and it is meant to answer the questions about the product's influence on health, safety and environment.